



Product Description:

Veedol Multigear SM is a high-performance transmission oil formulated with latest technology base oils and selected performance additives for complete protection ensuring trouble-free life of gears, bearing and other lubricated parts.

Veedol Multigear SM due to its high viscosity index and low pour point assures quiet and smooth operation of hydraulic equipment under all climatic conditions. It is a fluid with low co-efficient friction thus permitting clutch plates to engage slowly and gradually as the transmission shifts.

Performance Specifications:

Meets & exceeds the performance requirements of

- General Motors Type ‘A’ Suffix ‘A’

Features/Benefits:

- Excellent thermal and oxidation stability
- Seal compatibility
- Low temperature fluidity and foam control
- Excellent anti-wear & anti-corrosion properties

Application:

- Recommended for use in synchromesh gear boxes and power steering.

Typical Properties:

Parameters	Test Method	Results
Kinematic Viscosity @ 100°C, cSt	ASTM D445	7.5
Viscosity Index	ASTM D2270	184
Flash Point (COC), °C	ASTM D92	222
Pour Point, °C	ASTM D97	-42

The above typical properties are those obtained with normal production tolerance and do not constitute a specification. Variations that do not affect product performance are to be expected during normal manufacture and at different blending locations. The information contained herein is subject to change without notice.

STORAGE:  
All packages should be stored under cover. It should not be exposed to direct sunlight, intense cold and extreme temperature fluctuations. Where outside storage is unavoidable, drums should be laid horizontally or properly covered to avoid the possible ingress of water and damage to drum markings.

HEALTH AND SAFETY:  
The information on this product is available in the Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information, we recommend you review the MSDS. If handled correctly, there are no special precautions suggested.