



# **GUNK Veedol Electrical Contact Cleaner**

## **TECHNICAL DATA SHEET**

### **Product Description:**

Gunk Veedol Electrical Contact Cleaner (off-line) is a heavy component cleaner formulated from a carefully selected blend of solvents that remove moisture, oil, carbon, waxy sludge, dirt or any other contaminations effectively from electronic and electrical circuits. It is formulated from new generation solvents free from Carbon Tetra Chloride (CTC), Silicones, 1 -1-1 Trichloroethane, CFC 113, etc. which are banned and not Eco-Friendly.

### **Benefits:**

- Removes surface contamination, dirt, dust, waxy substrates, oil, grease etc. from surfaces.
- Leaves no oily residues on the surface thereby avoiding the process of rinsing or wiping etc.
- Non-conductive, Non-corrosive and Chemically Stable.
- Offers good resistance to moisture, dirt, dust, fluff etc.
- Compatible with Plastics such as ABS, Nylon, Polycarbonate etc.
- Reduces electrical leakage and short circuits.

### **Application:**

Electrical connectors, switches, bus bars, sliding and rotary tuners, potentiometers, test instruments, rocker / push -pull switches, relays, circuit breakers, transformers, switchgears, bus bars, Terminals, Transformers, motors, generators, control instruments, communication assemblies, starters, solenoids, Capacitors, Fuse Boxes, Ignition systems and other sensitive electronic components etc.

An ideal product for cleaning of a component such as PCBs etc. prior to application of anti-corrosion coating, paint or any other type of coatings.

### **Typical Properties:**

Test Parameters	Test Method	Specifications
Appearance	Visual	Clear, Colorless
Colour	Visual	Transparent
Density @ 29.5 °C, gm/ml	ASTM D 4072	0.7 ± 0.1
% Volatiles	-----	100%
Odour	-----	Mild
Kauri Butanol (KB) Value	ASTM D 1133	30 (min)
Copper Strip Corrosion @ 100 °C	ASTM D 130	Negative

The above typical properties are those obtained with normal production tolerance and do not constitute a specification. Variations that do not affect product performance are to be expected during normal manufacturing processes and at different blending locations. The information contained herein is subject to change without notice

**Packing: 100 ml, 500 ml**





---

**Danger:** Flammable Aerosol. Keep away from direct sunlight & heat

**Caution:** This material is not expected to produce any significant adverse health effects when recommended use instructions are followed.

Exposure Symptoms:

**Inhalation:** If inhaled, move person to fresh air. If breathing is labored, administer oxygen. If symptoms develop, obtain medical attention.

**Skin Contact:** In case of contact, immediately flush skin with plenty of water, apply soap and rinse. The use of gloves is recommended.

**Eye Contact:** Immediately rinse with water for several minutes. Wear safety glasses

**Ingestion:** Do not induce vomiting. If swallowed, rinse your mouth and drink plenty of water. If symptoms develop from exposure, seek medical attention

