

# Apreslube Rotagear 140

Gear and Transmission Oil

## Product Description:

Veedol Apreslube Rotagear is high quality gear oil specially formulated for the gears of rotavators. Formulated using high quality base oils and balanced extreme pressure additive technology, Apreslube Rotagear 140 provides excellent protection against wear and scouring. In addition, it also safeguards components from rust and corrosion.

## Performance Specifications:

Veedol Apreslube Rotagear 140 meets & exceeds the performance requirements of

- API GL-4

## Features/Benefits:

- Superior thermal stability helps keep gears and bearing surface clean, minimizes deposits.
- Very good oxidation resistance limits the increase of in-use oil viscosity which can lead to energy loss.
- High extreme pressure capability ensures minimized wear helping prolonged component life.

## Application:

- Recommended for use in gears of rotavators.

## Typical Properties:

Parameters	Test Method	SAE 140
Density @ 29.5°C	ASTM D4052	0.894
Kinematic Viscosity at 40°C, cSt	ASTM D445	270
Kinematic Viscosity at 100°C, cSt	ASTM D445	26.3
Viscosity Index	ASTM D2270	95
Flash Point (COC), °C	ASTMD92	254
Pour Point, °C	ASTM D97	-6

The above typical properties are those obtained with normal production tolerance and do not constitute a specification. Variations that do not affect product performance are to be expected during normal manufacture and at different blending locations. The information contained herein is subject to change without notice.



### STORAGE

All packages should be stored under cover. It should not be exposed to direct sunlight, intense cold and extreme temperature fluctuations. Where outside storage is unavoidable, drums should be laid horizontally or properly covered to avoid the possible ingress of water and damage to drum markings.



### HEALTH, SAFETY AND ENVIRONMENT

The information on this product is available in the Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information, we recommend you review the MSDS. If handled correctly, there are no special precautions suggested.